

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L19	1	5889600.pn.	USPAT	2004/11/04 07:33
2	BRS	L20	444	(cross\$connect\$4 or bridge or multiplex\$4)near6 ((multiple or plural\$4)near4 (board\$1 or card\$1 or PCB or ((daughter or function or application)adj (card or board or pcb))))	USPAT; US-PGPUB; IBM_TDB	2004/11/04 08:47
3	BRS	L21	283	120 and ((select\$6 or adapt\$5 or provision\$4 or constraint or rules or policy)with (connect\$4 or rout\$4 or join\$4 or coupl\$4))	USPAT; US-PGPUB; IBM_TDB	2004/11/04 08:43
4	BRS	L22	57	120 same ((select\$6 or adapt\$5 or provision\$4 or constraint or rules or policy)with (connect\$4 or rout\$4 or join\$4 or coupl\$4 or interconnect\$4 or path))	USPAT; US-PGPUB; IBM_TDB	2004/11/04 08:16
5	BRS	L24	2	120 and (configuration adj policy)	USPAT; US-PGPUB; IBM_TDB	2004/11/04 08:19
6	BRS	L25	0	123 and (configuration adj policy)	USPAT; US-PGPUB; IBM_TDB	2004/11/04 08:19
7	BRS	L23	29	120 and (network adj (device or apparatus))	USPAT; US-PGPUB; IBM_TDB	2004/11/04 08:19
8	BRS	L26	0	120 same (configuration adj (policy or rule or constraint))	USPAT; US-PGPUB; IBM_TDB	2004/11/04 08:32
9	BRS	L27	0	120 same (configur\$6 adj (policy or rule or constraint))	USPAT; US-PGPUB; IBM_TDB	2004/11/04 08:32
10	BRS	L28	2	120 and (configur\$6 adj (policy or rule or constraint))	USPAT; US-PGPUB; IBM_TDB	2004/11/04 08:32
11	BRS	L30	1	129 and ((select\$6 or adapt\$5 or provision\$4 or constraint or rules or policy)with (connect\$4 or rout\$4 or join\$4 or coupl\$4))	EPO; JPO; DERWENT	2004/11/04 08:33

	Type	L #	Hits	Search Text	DBs	Time Stamp
12	BRS	L29	60	(cross\$connect\$4 or bridge or multiplex\$4)near6 ((multiple or plural\$4)near4 (board\$1 or card\$1 or PCB or ((daughter or function or application)adj (card or board or pcb))))	EPO; JPO; DERWENT	2004/11/04 08:33
13	BRS	L31	633	(configur\$6 adj (policy or rule or constraint))	USPAT; US-PGPUB; IBM_TDB	2004/11/04 08:36
14	BRS	L32	49	(configur\$6 adj (policy or rule or constraint))	EPO; JPO; DERWENT	2004/11/04 08:36
15	BRS	L33	15	(configur\$6 adj (policy))	EPO; JPO; DERWENT	2004/11/04 08:36
16	BRS	L34	86	l31 same ((select\$6 or adapt\$5 or provision\$4 or constraint or rules or policy)with (connect\$4 or rout\$4 or join\$4 or coupl\$4))	USPAT; US-PGPUB; IBM_TDB	2004/11/04 08:44
17	BRS	L35	13	l34 and (network adj (device or apparatus))	USPAT; US-PGPUB; IBM_TDB	2004/11/04 08:44
18	BRS	L36	2	((cross\$connect\$4 or bridge or multiplex\$4)near6 ((multiple or plural\$4)near4 (board\$1 or card\$1 or PCB or channel or rout\$1 or path or bus or ((daughter or function or application)adj (card or board or pcb))))with (policy or rule or constraint))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 08:52
19	BRS	L37	0	((cross\$connect\$4 or bridge or multiplex\$4)near6 ((multiple or plural\$4)near4 (board\$1 or card\$1 or PCB or channel or rout\$1 or path or bus or ((daughter or function or application)adj (card or board or pcb))))with ((programmable or configurable)near3 (path or route or connect or interconnect))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 08:53

	Type	L #	Hits	Search Text	DBs	Time Stamp
20	BRS	L38	2	((cross\$connect\$4 or bridge or multiplex\$4)near6 ((multiple or plural\$4)near4 (board\$1 or card\$1 or PCB or channel or rout\$1 or path or bus or ((daughter or function or application)adj (card or board or pcb))))same ((programmable or configurable)near3 (path or route or connect or interconnect))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 09:20
21	BRS	L39	854	((policy or rule or constraint) near3 (enabl\$4 or based))near5 (connect\$4 or interconnect\$4 or rout\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 09:23
22	BRS	L41	0	140 and (configuration adj policy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 09:24
23	BRS	L42	0	140 and (configur\$6 adj policy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 09:24
24	BRS	L40	27	139 same ((within or inside)near3 (device or apparatus or router))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 09:26
25	BRS	L43	2152	(router or hub or back\$bone)near6 ((plural\$4 or multiple or many)near3 (card\$1 or cross\$connect or daughter or function or controller or path\$1 or route\$1 or connection))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 09:29
26	BRS	L45	141	((establish\$4 near2 (path or rout\$4 or connect\$4))near4 (transmi\$6 or transfer\$4 or communicat\$4 oe send\$4))with ((plural\$4 or multiple or many or different)adj (path or rout\$4 or connect\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 09:33
27	BRS	L44	13	143 same ((establish\$4 near2 (path or rout\$4 or connect\$4))near4 (transmi\$6 or transfer\$4 or communicat\$4 oe send\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 09:42

	Type	L #	Hits	Search Text	DBs	Time Stamp
28	BRS	L46	2	6473822.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 09:43
29	BRS	L47	2	6195717.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 09:45
30	BRS	L48	2	6611526.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 09:48
31	BRS	L49	2	6587470.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 09:50
32	BRS	L50	2	5715248.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 09:50
33	BRS	L51	2	5497363.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 09:52
34	BRS	L52	2	6085277.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 09:53
35	BRS	L53	2	6070207.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 09:54
36	BRS	L54	2	6687758.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 09:55
37	BRS	L55	2	6625747.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 09:56

	Type	L #	Hits	Search Text	DBs	Time Stamp
38	BRS	L56	2	6343324.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 09:58
39	BRS	L57	2	5751967.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 09:58
40	BRS	L58	2	5504921.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 10:00
41	BRS	L59	2	6598080.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 10:03
42	BRS	L60	2	6332157.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 10:05
43	BRS	L61	3	9935577.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 10:10
44	BRS	L62	3	9930530.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 10:16
45	BRS	L63	3	9927688.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 10:17
46	BRS	L64	4	9914876.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 10:18
47	BRS	L65	5	9911095.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 10:20

	Type	L #	Hits	Search Text	DBs	Time Stamp
48	BRS	L66	3	9905826.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 10:23
49	BRS	L67	2	9826611.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 10:50
50	BRS	L68	2	6259699.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 10:51

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L2	12	l1 and (polic\$4 or rul\$4 or constraint)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 14:16
2	BRS	L4	0	((multi\$port or mutli\$channel or multi\$connection or ((plural\$4 or multiple) adj (route or port or path or connection or channels)))near3 router)and (forwarding adj (boards or card\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 14:34
3	BRS	L3	5	((multi\$port or mutli\$channel or multi\$connection or ((plural\$4 or multiple) adj (route or port or path or connection or channels)))near3 router)and (time adj slots)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 14:59
4	BRS	L1	25	multi\$port adj router	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 14:42
5	BRS	L5	22	((multi\$port or mutli\$channel or multi\$connection or ((plural\$4 or multiple) adj (route or port or path or connection or channels)))near3 router)same (configuration or policy or rule or constraint)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 16:03
6	BRS	L6	22	(router with polic\$3).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 16:08
7	BRS	L8	6	(router with (policy adj based)).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 16:30
8	BRS	L9	10	(router with (policy adj based)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 16:19

	Type	L #	Hits	Search Text	DBs	Time Stamp
9	BRS	L10	6	((multiple or plural\$4)adj (channe\$1 or port\$1 or board\$1 or connect\$4))same ((policy or rule)near2 based)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 16:23
10	BRS	L12	0	((multiple or plural\$4)adj (channe\$1 or port\$1 or board\$1)) near3 (inter\$connect\$4 or connect\$4 or path or rout\$4))same ((policy or rule)near2 based)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 16:24
11	BRS	L11	28	((multiple or plural\$4 or cross)adj (channe\$1 or port\$1 or board\$1 or connect\$4))same ((policy or rule)near2 based)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 16:24
12	BRS	L13	189	((policy adj based)near3 (select\$4 or connect\$4 or rout\$4))and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 16:32
13	BRS	L14	128	113 and router	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 16:32